



FORM PTO-1449

U.S. Dept. of Commerce
Patent and Trademark OfficeAtty Docket No.
P1150R2C2Serial No.
10/713,391

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant
Ashkenazi et al.Filing Date
14 Nov 2003Group
to be assigned

U.S. PATENT DOCUMENTS

Examiner Initials		Document Number	Date	Name	Class	Subclass	Filing Date
	* 1	2002/0099198	25.07.02	Yu et al.			
	2	2002/0168729	14.11.02	Yu et al.			
	* 3	5,998,171	07.12.99	Yu et al.			
	4	6,521,742	18.02.03	Yu et al.			

FOREIGN PATENT DOCUMENTS

Examiner Initials		Document Number	Date	Country	Class	Subclass	Translation Yes No
	* 5	307,247	15.03.89	EPO			
	* 6	417,563	20.03.91	EPO (ENGLISH ABSTRACT ATTACHED)			
	* 7	WO 97/01633	16.01.97	PCT			
	* 8	WO 98/06842	19.02.98	PCT			
	* 9	WO 98/07880	26.02.98	PCT			

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)


CA	* 10	Aggarwal et al., "Tumor Necrosis Factors: Development During the Last Decade" <u>Eur. Cytokine Netw.</u> 7(2):93-124 (April- Ju 1996)
	* 11	Amakawa et al., "The Hodgkin Disease Antigen CD30 is Crucial for Antigen-Induced Death of Developing T Cells" <u>Symposium on Programmed Cell Death</u> (Abstract No. 10), Cold Spring Harbor Laboratory (1995)
	* 12	Armitage et al., "Molecular and Biological Characterization of a Murine Ligand for CD40." <u>Nature</u> 357(6373):80-82 (1992)
	* 13	Ashkenazi et al., "Protection Against Endotoxic Shock by a Tumor Necrosis Factor Receptor Immunoadhesin" <u>Proc. Natl. Acad. Sci.</u> 88:10535-10539 (1991)
	* 14	Baeuerle et al., "Function and activation of NF-kappa B in the immune system" <u>Ann. Rev. Immunol.</u> 12:141-179 (1994)
	* 15	Baldwin, A., "The NF-KB and IKB Proteins: New Discoveries and Insights" <u>Ann. Rev. Immunol.</u> 14:649-683 (1996)
	* 16	Banner et al., "Crystal Structure of the Soluble Human 55 kd TNF Receptor-Human TNF β Complex: Implications for TNF Receptor Activation" <u>Cell</u> 73:431-445 (1993)
	* 17	Barr and Tomei, "Apoptosis and Its Role in Human Disease" <u>Bio/Technology</u> 12:487-493 (1994)
	* 18	Baum et al., "Molecular characterization of murine and human OX40/OX40 ligand systems: identification of a human OX40 ligand as the HTLV-1-regulated protein gp34" <u>EMBO Journal</u> 13(17):3992-4001 (1994)
	* 19	Bodmer et al., "TRAMP, A Novel Apoptosis-Mediating Receptor with Sequence Homology to Tumor Necrosis Factor Receptor 1 and Fas(Apo-1/CD95)." <u>Immunity</u> 6:79-88 (1997)
	* 20	Boldin et al., "Involvement of MACH, a Novel MORT1/FADD-Interacting Protease, in Fas/APO-1- and TNF Receptor-Induced Cell Death" <u>Cell</u> 85:803-815 (1996)
V	* 21	Boldin et al., "Self-Association of the "Death Domains" of the p55 Tumor Necrosis Factor (TNF) Receptor and Fas/APO1 Prompts Signaling for TNF and Fas/APO1 Effects" <u>Journal of Biological Chemistry</u> 270:387-391 (1995)

Examiner

Date Considered

8/10/04

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



FORM PTO-1449

U.S. Dept. of Commerce
Patent and Trademark OfficeAtty Docket No.
P1150R2C2Serial No.
10/713,391

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant
Ashkenazi et al.Filing Date
14 Nov 2003Group
to be assigned

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

CL	* 22	Brockhaus et al., "Identification of Two Types of Tumor Necrosis Factor Receptors on Human Cell Lines by Monoclonal Antibodies." <u>Proc. Natl. Acad. Sci. USA</u> 87:3127-3131 (1990)
	* 23	Brojatsch et al., "CARL, A TNFR-Related Protein, Is a Cellular Receptor for Cytopathic Avian Leukosis-Sarcoma Viruses and Mediates Apoptosis." <u>Cell</u> 87:845-855 (1996)
	* 24	Browning et al., "Lymphotoxin β , a Novel Member of the TNF Family That Forms a Heteromeric Complex with Lymphotoxin on the Cell Surface" <u>Cell</u> 72:847-856 (1993)
	* 25	Chinnaiyan and Dixit, "The Cell-Death Machine" <u>Current Biology</u> 6:555-562 (1996)
	* 26	Chinnaiyan et al., "FADD, a novel death domain-containing protein, interacts with the death domain of Fas and initiates apoptosis" <u>Cell</u> 81:505-512 (1995)
	* 27	Chinnaiyan et al., "FADD/MORT1 Is a Common Mediator of CD95 (Fas/APO-1) and Tumor Necrosis Factor Receptor-induced Apoptosis" <u>Journal of Biological Chemistry</u> 271:4961-4965 (1996)
	* 28	Chinnaiyan et al., "Interaction of CED-4 with CED-3 and CED-9: A Molecular Framework for Cell Death" <u>Science</u> 275:1122-1126 (1997)
	* 29	Chinnaiyan et al., "Signal Transduction by DR3, A Death Domain-Containing Receptor Related to TNFR-1 and CD95." <u>Science</u> 274:990-992 (1996)
	* 30	Cleveland and Ihle, "Contenders in FasL/TNF Death Signaling" <u>Cell</u> 81:479-482 (1995)
	* 31	Dealtry et al., "DNA Fragmentation and Cytotoxicity Caused by Tumor Necrosis Factor is Enhanced by Interferon- γ " <u>European Journal of Immunology</u> 17:689-693 (1987)
	* 32	Degli-Esposti et al., "Cloning and Characterization of TRAIL-R3, a Novel Member of the Emerging TRAIL Receptor Family" <u>Journal of Experimental Medicine</u> 186(7):1165-1170 (1997)
	* 33	Eck and Sprang, "The structure of tumor necrosis factor- α at 2.6 Å resolution" <u>Journal of Biological Chemistry</u> 264(29):17595-17605 (1989)
	* 34	Enari et al., "Involvement of an ICE-like protease in Fas-mediated Apoptosis" <u>Nature</u> 375:78-81 (1995)
	* 35	Fraser and Evan, "A License to Kill" <u>Cell</u> 85:781-784 (1996)
	* 36	Gelb et al., "Pycnodysostosis: Refined Linkage and Radiation Hybrid Analyses Reduce the Critical Region to 2 cM at 1q21 and Map Two Candidate Genes" <u>Human Genet.</u> 98:141-144 (1996)
	* 37	Goding, "Production of Monoclonal Antibodies" <u>Monoclonal Antibodies: Principles and Practice</u> , Academic Press, pps. 59-103 (1986)
	* 38	Goodwin et al., "Molecular Cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor." <u>Mol. Cell. Bio.</u> 11:3020-3026 (1991)
	* 39	Gruss and Dower, "Tumor Necrosis Factor Ligand Superfamily: Involvement in the Pathology of Malignant Lymphomas" <u>Blood</u> 85:3378-3404 (1995)
	* 40	Gruss, H.J. et al., "Molecular, structural, and biological characteristics of the tumor necrosis factor ligand superfamily" <u>Int. J. Clin. Lab. Res</u> 26(3):143-159 (1996)
✓	* 41	Hale et al., "Demonstration of In Vitro and In Vivo Efficacy of Two Biologically Active Human Soluble TNF Receptors Expressed in E. coli." <u>J. Cell. Biochem.</u> (abstract only, suppl. 15F; P 424) pps. 113 (1991)

Examiner

Date Considered

8/10/06

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



FORM PTO-1449

U.S. Dept. of Commerce
Patent and Trademark OfficeAtty Docket No.
P1150R2C2Serial No.
10/713,391

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant
Ashkenazi et al.Filing Date
14 Nov 2003Group
to be assigned

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

- 42 Hohmann et al., "Two different cell types have different major receptors for human tumor necrosis factor (TNF α)" Journal of Biological Chemistry 264(25):14927-14934 (1989)
- 43 Hsu et al., "TRADD-TRAF2 and TRADD-FADD interactions define two distinct TNF receptor 1 signal transduction pathways" Cell 84:299-308 (1996)
- 44 Itoh et al., "The Polypeptide Encoded by the cDNA for Human Cell Surface Antigen Fas Can Mediate Apoptosis." Cell 66:233-243 (1991)
- 45 Johnson et al., "Expression and Structure of the Human NGF Receptor" Cell 47:545-554 (1986)
- 46 Kitson et al., "A Death-Domain-Containing Receptor that Mediates Apoptosis" Nature 384:372-375 (1996)
- 47 Klein et al., "Selection for Genes Encoding Secreted Proteins and Receptors" Proc. Natl. Acad. Sci. USA 93(14):7108-7113 (1996)
- 48 Kohno et al., "A Second Tumor Necrosis Factor Receptor Gene Product Can Shed a Naturally Occurring Tumor Necrosis Factor Inhibitor." Proc. Natl. Acad. Sci. USA 87:8331-8335 (1990)
- 49 Kozak, "An analysis of vertebrate mRNA sequences: intimations of translational control" Journal of Cell Biology 115:887-903 (1991)
- 50 Krammer et al., "Regulation of Apoptosis in the Immune System" Curr. Op. Immunol. 6:279-289 (1994)
- 51 Lewis et al., "Cloning and Expression of cDNAs for Two Distinct Murine Tumor Necrosis Factor Receptors Demonstrate One Receptor is Species Specific." PNAS USA 88:2830-2834 (1991)
- 52 Lewit-Bentley et al., "Structure of tumour necrosis factor by X-ray solution scattering and preliminary studies by single crystal X-ray diffraction" J. Mol. Biol. 199(2):389-392 (1988)
- 53 Loetscher et al., "Molecular Cloning and Expression of the Human 55 kd Tumor Necrosis Factor Receptor" Cell 61:351-359 (1990)
- 54 MacFarlane et al., "Identification and Molecular Cloning of Two Novel Receptors for the Cytotoxic Ligand TRAIL" Journal of Biological Chemistry 272(41):25417-25420 (1997)
- 55 MacKay et al., "Differential Responses of Fibroblasts from Wild-Type and TNF-R55-Deficient Mice to Mouse and Human TNF- α Activation" J. Immunol. 153:5274-5284 (1994)
- 56 Malinin et al., "MAP3K-related kinase involved in NF- κ B induction by TNF, CD95 and IL-1" Nature 385(6616):540-544 (February 6, 1997)
- 57 Mallett et al., "Characterization of the MRC OX40 Antigen of Activated CD4 Positive T Lymphocytes - A Molecule Related to Nerve Growth Factor Receptor" EMBO Journal 9(4):1063-1068 (April 1990)
- 58 Marsters et al., "Activation of Apoptosis by Apo-2 Ligand is Independent of FADD but Blocked by CrmA." Current Biology 6(6):750-752 (1996)
- 59 Marsters et al., "Apo-3, A New Member of the Tumor Necrosis Factor Receptor Family, Contains a Death Domain and Activates Apoptosis and NF- κ B." Curr. Biol. 6(12):1669-1676 (1996)
- 60 Marsters et al., "Herpesvirus Entry Mediator, A Member of the Tumor Necrosis Factor Receptor (TNFR) Family, Interacts with Members of the TNFR-Associated Factor Family and Activates the Transcription Factors NF- κ B and AP-1." J. Bio. Chem. 272(22):14029-14032 (1997)
- 61 Marsters et al., "Interferon γ Signals Via a High-Affinity Multisubunit Receptor Complex That Contains Two Types of Polypeptide Chain" Proc. Natl. Acad. Sci. USA 92:5401-5405 (1995)

Examiner

Date Considered

8/10/06

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



FORM PTO-1449

U.S. Dept. of Commerce
Patent and Trademark OfficeAtty Docket No.
P1150R2C2Serial No.
10/713,391

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant
Ashkenazi et al.Filing Date
14 Nov 2003Group
to be assigned

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)


62	Montgomery et al., "Herpes Simplex Virus-1 Entry into Cells Mediated by a Novel Member of the TNF/NGF Receptor Family" <u>Cell</u> 87(3):427-436 (1996)
63	Muzio et al., "FLICE, A Novel FADD-Homologous ICE/CED-3-like Protease, Is Recruited to the CD95 (Fas/APO-1) Death-Inducing Signaling Complex" <u>Cell</u> 85:817-827 (1996)
64	Nagata and Golstein, "The Fas Death Factor" <u>Science</u> 267:1449-1456 (1995)
65	Nagata, S., "Apoptosis by Death Factor." <u>Cell</u> , 88:355-365 (Feb 1997)
66	Nocentini et al., "A New Member of the Tumor Necrosis Factor/Nerve Growth Factor Receptor Family Inhibits T Cell Receptor-Induced Apoptosis." <u>Proc. Natl. Acad. Sci.</u> 94(12):6216-6221 (1997)
67	Nophar et al., "Soluble Forms of Tumor Necrosis Factor Receptors (TNF-Rs). The cDNA for the Type I TNF-R, Cloned Using Amino Acid Sequence Data of its Soluble Form, Encodes Both the Cell Surface and a Soluble Form of the Receptor." <u>EMBO Journal</u> , 9:3269-3278 (1990)
68	O'Reilly et al. <u>Baculovirus Expression Vectors: A Laboratory Manual</u> , Oxford:Oxford University Press (1994)
69	Pan et al., "An Antagonist Decoy Receptor and a Death-Domain Containing Receptor for TRAIL." <u>Science</u> , 277:815-818 (Aug 1997)
70	Pan et al., "The Receptor for the Cytotoxic Ligand TRAIL." <u>Science</u> , 276:111-113 (Apr 4, 1997)
71	Peetre et al., "A tumor necrosis factor binding protein is present in human biological fluids" <u>European Journal of Haematology</u> 41:414-419 (1988)
72	Pitti et al., "Induction of Apoptosis by Apo-2 Ligand, a New Member of the Tumor Necrosis Factor Cytokine Family" <u>Journal of Biological Chemistry</u> 271:12687-12690 (1996)
73	Radeke et al., "Gene Transfer and Molecular Cloning of the Rat Nerve Growth Factor Receptor." <u>Nature</u> , 325:593-597 (1987)
74	Raff, "Social Controls on Cell Survival and Cell Death" <u>Nature</u> 356:397-400 (1992)
75	Ray et al., "Viral Inhibition of Inflammation: Cowpox Virus Encodes an Inhibitor of the Interleukin-1 β Converting Enzyme" <u>Cell</u> 69:597-604 (May 15, 1992)
76	Ruppert et al., "Cloning and Expression of Human TAF _{II} 250: a TBP-associated Factor Implicated in Cell-cycle Regulation" <u>Nature</u> 362:175-179 (1993)
77	Sachs et al., "Control of Programmed Cell Death in Normal and Leukemic Cells: New Implications for Therapy" <u>Blood</u> 82:15-21 (1993)
78	Sambrook et al. <u>Molecular Cloning: A Laboratory Manual</u> , Second edition, New York: Cold Spring Harbor Laboratory Press (1989)
79	Schall et al., "Molecular Cloning and Expression of a Receptor for Human Tumor Necrosis Factor" <u>Cell</u> 61:361-370 (1990)
80	Schmid et al., "DNA Fragmentation: Manifestation of Target Cell Destruct. Mediated by Cytotoxic T-cell Lines, Lymphotoxin-Secreting Helper T-cell Clones, and Cell-Free Lymphotoxin-Containing Supernatant." <u>PNAS USA</u> , 83:1881-1885 (1986)
81	Seckinger et al., "Purification and biologic characterization of a specific tumor necrosis factor α Inhibitor" <u>Journal of Biological Chemistry</u> 264:11966-11973 (1989)

Examiner

Date Considered

8/10/06

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



FORM PTO-1449

U.S. Dept. of Commerce
Patent and Trademark OfficeAtty Docket No.
P1150R2C2Serial No.
10/713,391

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant
Ashkenazi et al.Filing Date
14 Nov 2003Group
to be assigned

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

CF	* 82	Sheridan et al., "Control of TRAIL-Induced Apoptosis by a Family of Signaling and Decoy Receptors" <u>Science</u> 277:818-821 (1997)
	* 83	Simonet et al., "Osteoprotegerin: A Novel Secreted Protein Involved in the Regulation of Bone Density" <u>Cell</u> 89:309-319 (1997)
	* 84	Smith et al., "A Receptor for Tumor Necrosis Factor Defines an Unusual Family of Cellular and Viral Proteins" <u>Science</u> 248:1019-1023 (1990)
	* 85	Smith et al., "Blocking of HIV-1 Infectivity by a Soluble, Secreted Form of the CD4 Antigen" <u>Science</u> 238:1704-1707 (1987)
	* 86	Smith et al., "T2 Open Reading Frame From the Shope Fibroma Virus Encodes a Soluble Form of the TNF Receptor." <u>Biochem. & Biophys. Res. Comm.</u> 176:335-342 (1991)
	* 87	Sompayrac et al., "Efficient infection of monkey cells with DNA of simian virus 40" <u>Proc. Natl. Acad. Sci. USA</u> 78(12):7575-7578 (Dec 1981)
	* 88	Stamenkovic et al., "A B-Lymphocyte Activation Molecule Related to the Nerve Growth Factor Receptor and Induced by Cytokines in Carcinomas." <u>EMBO Journal</u> , 8(5):1403-1410 (1989)
	* 89	Steller, H., "Mechanisms and Genes of Cellular Suicide" <u>Science</u> 267:1445-1449 (1995)
	* 90	Takahashi et al., "Human Fas ligand: gene structure, chromosomal location and species specificity" <u>Int. Immunol.</u> 6(10):1567-1574 (1994)
	* 91	Takao et al., "Novel DNA Polymorphism in the Mouse Tumor Necrosis Factor Receptors Type 1 and Type 2" <u>Immunogenetics</u> 37:199-203 (1993)
	* 92	Tartaglia et al., "A novel domain within the 55 kd TNF receptor signals cell death" <u>Cell</u> 74(5):845-853 (1993)
	* 93	Tewari and Dixit, "Fas- and Tumor Necrosis Factor-induced Apoptosis Is Inhibited by the Poxvirus crmA Gene Product" <u>Journal of Biological Chemistry</u> 270:3255-3260 (1995)
	* 94	Tewari and Dixit, "Recent Advances in Tumor Necrosis Factor and CD40 Signaling" <u>Curr. Op. Genet. Develop.</u> 6:39-44 (1996)
	* 95	Tewari et al., "Yama/CPP32 β , a Mammalian Homolog of CED-3, Is a CrmA-Inhibitible Protease That Cleaves the Death Substrate Poly(ADP-Ribose) Polymerase" <u>Cell</u> 81:801-809 (1995)
	* 96	Thimmappaya et al., "Adenovirus VAI RNA is required for efficient translation of viral mRNAs at late times after infection" <u>Cell</u> 31(3 Pt 2):543-551 (Dec 1982)
	* 97	Thompson, "Apoptosis in the Pathogenesis and Treatment of Disease" <u>Science</u> 267:1456-1462 (1995)
	* 98	Upton et al., "Myxoma Virus Expresses a Secreted Protein with Homology to the Tumor Necrosis Factor Receptor Gene Family that Contributes to Viral Virulence." <u>Virology</u> , 184:370-382 (1991)
	* 99	Upton et al., "Tumorigenic Poxviruses: Genomic Organization and DNA Sequence of the Telomeric Region of the Shope Fibroma Virus Genome." <u>Virology</u> , 160:20-30 (1987)
	* 100	Verma et al., "Rel/NF- κ B/I κ B Family: Intimate Tales of Association and Dissociation" <u>Genes Develop.</u> 9:2723-2735 (1995)
	* 101	von Bulow and Bram, "NF-AT Activation Induced by a CAML-Interacting Member of the Tumor Necrosis Factor Receptor Superfamily" <u>Science</u> 278:138-141 (1997)

Examiner

Date Considered

8/10/05

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

